


Cedar Creek Conservation - Little Cedar Lake
Michigan, AC +/-



Schultz
Boundary

 Schultz Boundary 168.44 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
25	Histosols and Aquepts, ponded	29.92	17.76	0	-	6w
20E	Tekenink fine sandy loam, 18 to 40 percent slopes	26.23	15.57	0	14	7e
HgtahA	Houghton muck, 0 to 1 percent slopes	18.98	11.27	0	11	5w
20D	Tekenink fine sandy loam, 12 to 18 percent slopes	16.02	9.51	0	57	4e
29E	Perrinton loam, 18 to 40 percent slopes	15.96	9.47	0	15	7e
20C	Tekenink fine sandy loam, 6 to 12 percent slopes	14.93	8.86	0	62	3e
29D	Perrinton loam, 12 to 18 percent slopes	12.64	7.5	0	59	4e
6E	Boyer loamy sand, 18 to 40 percent slopes	11.37	6.75	0	10	7e
57E	Coloma loamy sand, 18 to 40 percent slopes	7.44	4.42	0	8	7s
W	Water	5.69	3.38	0	-	-
67D	Marlette-Oshtemo complex, 12 to 18 percent slopes	4.29	2.55	0	57	4e
6D	Boyer loamy sand, 12 to 18 percent slopes	2.01	1.19	0	42	4e
47B	Perrinton loam, Saginaw Lobe, 2 to 6 percent slopes	1.86	1.1	0	52	2e
31C	Oshtemo sandy loam, 6 to 12 percent slopes	0.84	0.5	0	63	3e
24D	Filer loam, 12 to 18 percent slopes	0.13	0.08	0	57	4e
67E	Marlette-Oshtemo complex, 18 to 40 percent slopes	0.1	0.06	0	14	7e
57D	Coloma loamy sand, 12 to 18 percent slopes	0.03	0.02	0	44	6s
TOTALS		168.44(*)	100%	-	24.11	5.49

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water